CONTENTS

Special Issue: Molecular Spectroscopy and the Structure of Biological Systems — A Collection of Invited Papers in Honour of Professor Masamichi Tsuboi

Preface ix

Time-resolved resonance Raman and molecular orbital studies of the structures of the transient species involved in the photochromic reaction of 2,2′-spirobi[2H-1-benzopyran]
S. Hashimoto, A. Shimojima, T. Yuzawa, H. Hiura, J. Abe and H. Takahashi (Tokyo, Japan) 1

Triplet excitation of precursors of spirilloxanthin bound to the chromatophores of *rhodospirillum rubrum* as detected by transient Raman spectroscopy
M. Naruse, H. Hashimoto, M. Kuki and Y. Koyama (Nishinomiya, Japan) 15

Attenuated total reflection/FTIR studies on Langmuir–Blodgett films of 3-octadecyl-2-[3-(3-octadecyl-2-benzothiazolinylidene)-1-propenyl] benzothiazolium iodide
N. Katayama and Y. Ozaki (Nishinomiya, Japan), T. Araki and K. Iriyama (Tokyo, Japan) 27

Resonance Raman study of spread monolayers of cetyl orange on water and thin LB films
H. Matsuda, T. Kawai, J. Umemura and T. Takenaka (Kyoto-Fu, Japan) 39

Raman spectra and structure of ribonuclease T_1 and the complex with guanosine 2′-monophosphate in solution
H. Takeuchi, Y. Satoh and I. Harada (Sendai, Japan) 49

Theoretical analysis of resonance Raman scattering in ethylene
W. Siebrand and M.Z. Zgierski (Ottawa, Ont., Canada) 61

Vibrational circular dichroism in hydrogen bond systems. Part III. Vibrational circular dichroism of the OH stretching vibrations of 1,2-diols and β-methoxyalcohols
K. Yamamoto, Y. Nakao, Y.Kyogoku and H. Sugeta (Osaka, Japan) 75

Ultraviolet resonance Raman spectra of adenine, uracil and thymine derivatives in several solvents. Correlation between band frequencies and hydrogen-bonding states of the nucleic acid bases
A. Toyama, H. Takeuchi and I. Harada (Sendai, Japan) 87

Resonance Raman and infrared spectra of azidoiron(III) and azidomanganese(III) porphyrins
R.S. Czernuszewicz (Houston, TX, U.S.A.), W.-D. Wagner (Milwaukee, WI, U.S.A.), G.B. Ray (Princeton, NJ, U.S.A.) and K. Nakamoto (Milwaukee, WI, U.S.A.) 99

Structure of a DNA octamer, $d(CCTTAAGG)_2$ obtained by restrained molecular dynamics based on Raman and NMR data
N. Ito (Tokyo, Japan), H. Nakamura (Osaka, Japan), H. Sumikawa and N. Nagashima (Kawasaki, Japan), Y. Arata and Y. Nishimura (Tokyo, Japan) 119

The use of Raman spectroscopy to characterize double B/Z conformational junctions in DNA
W.L. Peticolas, Z. Dai and G.A. Thomas (Eugene, OR, U.S.A.) 135

Conformers of *trans-N*-methylacetamide. Ab initio study of geometries and vibrational spectra
N.G. Mirkin and S. Krimm (Ann Arbor, MI, U.S.A.) 143

Two-beam polarization studies of the ground and excited state absorption spectra of dimeric chlorophyll
P. Myslinski, L. Yixian, S. Yizhong and J.A. Koningstein (Ottawa, Ont., Canada) 161

Conformational stability, barriers to internal rotation, ab initio calculations and vibrational assignment of dichloroacetyl chloride
J.R. Durig, M. Mamula Bergana and H.V. Phan (Columbia, SC, U.S.A.) 179

Infrared and Raman intensity parameters of sodium acetate and their intensity distributions
H. Noma, Y. Miwa, I. Yokoyama and K. Machida (Kyoto, Japan) 207

CONTENTS

Special Issue: Molecular Spectroscopy and the Structure of Biological Systems — A Collection of Invited Papers in Honour of Professor Masamichi Tsuboi

Preface ix

Time-resolved resonance Raman and molecular orbital studies of the structures of the transient species involved in the photochromic reaction of 2,2′-spirobi[2H-1-benzopyran]
S. Hashimoto, A. Shimojima, T. Yuzawa, H. Hiura, J. Abe and H. Takahashi (Tokyo, Japan) 1

Triplet excitation of precursors of spirilloxanthin bound to the chromatophores of *rhodospirillum rubrum* as detected by transient Raman spectroscopy
M. Naruse, H. Hashimoto, M. Kuki and Y. Koyama (Nishinomiya, Japan) 15

Attenuated total reflection/FTIR studies on Langmuir–Blodgett films of 3-octadecyl-2-[3-(3-octadecyl-2-benzothiazolinylidene)-1-propenyl] benzothiazolium iodide
N. Katayama and Y. Ozaki (Nishinomiya, Japan), T. Araki and K. Iriyama (Tokyo, Japan) 27

Resonance Raman study of spread monolayers of cetyl orange on water and thin LB films
H. Matsuda, T. Kawai, J. Umemura and T. Takenaka (Kyoto-Fu, Japan) 39

Raman spectra and structure of ribonuclease T_1 and the complex with guanosine 2′-monophosphate in solution
H. Takeuchi, Y. Satoh and I. Harada (Sendai, Japan) 49

Theoretical analysis of resonance Raman scattering in ethylene
W. Siebrand and M.Z. Zgierski (Ottawa, Ont., Canada) 61

Vibrational circular dichroism in hydrogen bond systems. Part III. Vibrational circular dichroism of the OH stretching vibrations of 1,2-diols and β-methoxyalcohols
K. Yamamoto, Y. Nakao, Y.Kyogoku and H. Sugeta (Osaka, Japan) 75

Ultraviolet resonance Raman spectra of adenine, uracil and thymine derivatives in several solvents. Correlation between band frequencies and hydrogen-bonding states of the nucleic acid bases
A. Toyama, H. Takeuchi and I. Harada (Sendai, Japan) 87

Resonance Raman and infrared spectra of azidoiron(III) and azidomanganese(III) porphyrins
R.S. Czernuszewicz (Houston, TX, U.S.A.), W.-D. Wagner (Milwaukee, WI, U.S.A.), G.B. Ray (Princeton, NJ, U.S.A.) and K. Nakamoto (Milwaukee, WI, U.S.A.) 99

Structure of a DNA octamer, $d(CCTTAAGG)_2$ obtained by restrained molecular dynamics based on Raman and NMR data
N. Ito (Tokyo, Japan), H. Nakamura (Osaka, Japan), H. Sumikawa and N. Nagashima (Kawasaki, Japan), Y. Arata and Y. Nishimura (Tokyo, Japan) 119

The use of Raman spectroscopy to characterize double B/Z conformational junctions in DNA
W.L. Peticolas, Z. Dai and G.A. Thomas (Eugene, OR, U.S.A.) 135

Conformers of *trans-N*-methylacetamide. Ab initio study of geometries and vibrational spectra
N.G. Mirkin and S. Krimm (Ann Arbor, MI, U.S.A.) 143

Two-beam polarization studies of the ground and excited state absorption spectra of dimeric chlorophyll
P. Myslinski, L. Yixian, S. Yizhong and J.A. Koningstein (Ottawa, Ont., Canada) 161

Conformational stability, barriers to internal rotation, ab initio calculations and vibrational assignment of dichloroacetyl chloride
J.R. Durig, M. Mamula Bergana and H.V. Phan (Columbia, SC, U.S.A.) 179

Infrared and Raman intensity parameters of sodium acetate and their intensity distributions
H. Noma, Y. Miwa, I. Yokoyama and K. Machida (Kyoto, Japan) 207

Identification of the long-lived L′ species of bacteriorhodopsin as the N intermediate by Raman/absorption quasi-simultaneous measurements
M. Nakagawa (Okazaki, Japan), A. Maeda (Kyoto, Japan), T. Ogura and T. Kitagawa (Okazaki, Japan) 221
FT–IR studies on thermal denaturation processes of ribonucleases A and S in H_2O and D_2O solutions
T. Yamamoto and M. Tasumi (Tokyo, Japan) 235
Infrared spectroscopy and infrared linear dichroism of nucleic acids
H. Fritzsche (Jena, G.D.R.) 245
Theoretical analysis of the ν_{N-H} IR spectral band of crystalline uracil
P.J. Piskorz and M.J. Wójcik (Cracow, Poland) 263
Low-frequency vibrational spectra of some hydrogen-bonded amides
O.F. Nielsen, D.H. Christensen and O.H. Rasmussen (Copenhagen, Denmark) 273
Solution conformations of nucleoside analogues exhibiting antiviral activity against human immunodeficiency virus
S. Dijkstra, J.M. Benevides and G.J. Thomas, Jr. (Kansas City, MO, U.S.A.) 283
Normal coordinate analysis of phenylmethylidynephosphine $C_6H_5C{\equiv}P$ and its related compounds
K. Ohno and H. Matsuura (Hiroshima, Japan) 303
Conformational order in crystalline states and gels of isotactic, syndiotactic and atactic polystyrenes studied by vibrational spectroscopy
T. Nakaoki and M. Kobayashi (Osaka, Japan) 315
Interpretation of the influence of hydrogen bonding on the stretching vibrations of the PO_2^- moiety
W. Pohle and M. Bohl (Jena, G.D.R.), H. Böhlig (Leipzig, G.D.R.) 333
Properties of aromatic residues in ferricytochrome c_3 of *desulfovibrio vulgaris* Miyazaki F studied by ^1H NMR
J.-S. Park, M. Enoki, A. Ohbu, K. Fan, K. Niki and H. Akutsu (Yokohama, Japan) and Y. Kyogoku (Osaka, Japan) 343
Interaction of the λ-CRO repressor protein with operator DNA fragments monitored as to amide proton magnetic resonances
M. Shirakawa, S.J. Lee, M. Takimoto, H. Matsuo (Osaka, Japan), H. Akutsu (Yokohama, Japan) and Y. Kyogoku (Osaka, Japan) 355
Analysis of the ν_3 and $\nu_1+\nu_3$ bands of $^{15}N^{16}O_2$
Y. Hamada (Tokyo, Japan) 367
Resonance Raman spectroscopic studies of cytochrome *C* at charged interfaces
P. Hildebrandt (Mülheim, F.R.G.) 379
Applications of FTIR spectroscopy in structural studies of cells and bacteria
J-.M. Le Gal, M. Manfait and T. Theophanides (Reims, France) 397
Molecular structure of the inner and outer conformers of methylhydrazine as determined by gas electron diffraction and ab initio MO calculation
N. Murase, K. Yamanouchi, T. Egawa and K. Kuchitsu (Tokyo, Japan) 409
Resonance Raman spectroscopic studies of enzyme-substrate intermediates at 5 K
M. Kim and P.R. Carey (Ottawa, Ont., Canada) 421

Author Index 433

Subject Index 434